

Environmental Technology & Science Journal

Vol. 9 Issue1

June 2018

Aim and Scope

The Environmental Technology and Science Journal (ETSJ) is devoted to the publication of papers which advance knowledge of practical and theoretical issues that daily plague our society. The aim of the journal is to provide an avenue for the dissemination of academic research findings from various disciplines of the environment, engineering, pure and applied sciences, arts and social science which have materials that emphasize on environmental issues.

ETSJ Policy

ETSJ prohibits an author from submitting the same manuscript for concurrent consideration in two or more publications. The author must ensure that when a manuscript is submitted to ETSJ, the manuscript must be an original work. The Author should check the manuscript for any possible plagiarism using any program such as TURNITIN or any other software before submitting the manuscripts to ETSJ. Authors are not permitted to add or remove any names from the authorship provided at the time of initial submission without the consent of the Journal's Editor-in-Chief.

Guide for Authors

Please read the guidelines and follow the instructions carefully; doing so will ensure that the publication of your manuscript is as rapid and efficient as possible. The Editorial Board reserves the right to return manuscripts without review that are not prepared in accordance with these guidelines.

- 1. Manuscripts should not be more than 15 pages of A4 paper size (including abstracts, tables, figures, references and appendices) typed in double spacing, times new roman and font size 12. Additional fee of two thousand (N2000) Naira will be charged for every additional page in excess of 15 pagess.
- 2. Each paper must be compiled in one column; all text should be left and right justified. The page settings to be 25cm (1 inch) each for the top, bottom, left and right margins of an A4 paper. Decimal numbering of all sections of the article is recommended (with the exception of the reference and acknowledgement sections).
- 3. To ensure anonymity in the peer reviewing process, articles must be structured in such a way that the title of the paper, authors' names, address, and affiliation are written on the first page, followed by abstract and the body of the paper in that order.
- 4. Each article should contain an abstract of not more than 300 words.
- 5. Each article should contain between 5 and 7 key words (avoid use of phrases).
- 6. Use the SI (*Systeme Internationale*) units and symbols, while Unusual Characters and symbols should be explained in a list of nomenclatures.
- 7. The journal's referencing style is the APA format.
- 8. Figures, Tables and Graphs are to be placed at the appropriate places in the paper and not at the end of the paper.
- Acknowledgement is optional, except for researches being funded through research grant awards.
- 10. Authors should avoid using headers, footers and special page breaks within the manuscripts.
- 11. The manuscript is to be sent via electronic means to:

 for a
 blind peer review, which under normal circumstance will not exceed 4 weeks, after
 which the status of the article will be communicated to the Author(s).

- 12. Author(s) with positive review will be asked to effect corrections or revisions after which the camera-ready manuscript is to be emailed to and to be accompanied by evidence of payment of publication fee.
- 13. The Editorial board is not responsible for the information or views expressed by the author(s).

Frequency of Publication

The journal is published twice a year in June and December

Subscription Details

The 2018 subscription rates for hardcopies of the journal including postage are:

Individual within Nigeria: N2,000 per copy and N1,000 for postage

Individual outside Nigeria including postage \$ 100

Institution within Nigeria: N5,000 per copy and N1,000 for postage

Institution outside Nigeria including postage: \$ 150

Correspondence

All correspondence should be addressed to The Managing Editor Environmental Technology & Science Journal SET, FUT, Minna, Nigeria

Email: etsj@futminna.edu.ng

Phone: +234 805 170 3663, +234 803 653 4507

Published By

School of Environmental Technology, Federal University of Technology, Minna-Nigeria

Managing Editor

Dr R. A. Jimoh

Department of Building, Federal University of Technology, Minna, Nigeria

Editorial Secretary

Dr I. B. Muhammad

Department of Architecture, Federal University of Technology, Minna, Nigeria

Editorial Committee

Dr O. F. Adedayo

Department of Architecture, Federal University of Technology, Minna, Nigeria

Dr A. D. Adamu

Department of Quantity Surveying, Federal University of Technology, Minna, Nigeria

Dr I. C. Onuigbo

Department of Surveying & Geoinformatics, Federal University of Technology, Minna, Nigeria

Dr O. A. Kemiki

Department of Estate Management and Valuation, Federal University of Technology, Minna, Nigeria

Dr P. Ayuba

Department of Architecture, Federal University of Technology, Minna, Nigeria

Dr J. E. Idiake

Department of Quantity Surveying, Federal University of Technology, Minna, Nigeria

Dr A. Kawu

Department of Urban & Regional Planning, Federal University of Technology, Minna, Nigeria

Dr B. O. Ganiyu

Department of Quantity Surveying, Federal University of Technology, Minna, Nigeria

Contents

1-9	Project Manager Leadership Style and Design Consultant Satisfaction in the Nigerian Construction Industry <i>K.A. Richard,K.M. Idris &H.D. Bobbo</i>
10-20	Development and Performance Evaluation of Mixed-Mode Solar Yam Dryer for NigerState, Nigeria W.P. Akanmu & K.C. Ajani
21-30	A Study of Contributory Factors to Flood Hazards in Ifelodun Local Government Area, Osun State, Nigeria S.O. Oladejo& B.T.Ojo
31-44	Scenario Simulation and Prediction of Land Use Changes in Metropolitan Kano, Based onthe Markov-Cellular Automata Model (CAMARKOV) <i>F.C. Duchi & S.K. Habila</i>
45-54	Assessment of the Cost Impacts of Health and Safety Practices on Construction Projects in Abuja, Nigeria S. Otaru, S.Ibrahim, Y.D. Mohammed & P.A. Olaku
55-63	Analyzing Socio-economic Characteristics of Households in Plateau State, Nigeria J.J. Zogore
64-75	Impact of Construction Claims on Public Building Projects Performance in Abuja K.J. Saidu, L.O. Oyewobi, I.I. Mohammed & B. Suleiman
76-84	Assessing the Compliance to EU Directive 92/57/EEC of June 1992 among EU Construction Companies in Nigeria <i>Y.D. Mohammed</i> .
85-99	Assessment of Spatial Distribution and Range of Service of Public Health Facilities in Jos South Local Government Area of Plateau State, Nigeria S.A. Ojo, G.S. Owoyele & O.O. Idowu
100-114	Housing Affordability: A Review of the Diversities of Definitions and Concepts <i>C.C. Nwuba & I U. Kalu</i>
115-122	Factors Influencing the Decisions of Peri-Urban Residents on where they live in Minna, Niger State, Nigeria O.O. Idowu, A.O. Abdulyekeen, U.T.O. Moyo & A.S. Adeogun
123-133	Performance of Corncob Ash as Partial Replacement of Portland Cement in Lateritic Soil Stabilization
	${f v}$

A.B. Salahudeen & J.A. Sadeeq
An Overview of Kenaf Fibre as a Bio Composites Material in Fabrication Process for Sustainable Construction
J.O. Onuwe, E.B. Ogunbode, M.Y. Jamaludin &A.U. Shettima

Demystifying the Effects of Final Accounts Settlement on Building Contractors in Abuja, Nigeria
J. Abidoye, I.Saidu, A.D. Adamu &P.O. Alumbugu

Impact of Construction Claims on Public Building Projects Performance in Abuja

Saidu, Kenneth John¹, Oyewobi, Luqman Oyekunle¹, Mohammed, Ismaila Ija² and Suleiman Bolaji³

¹Department of Quantity Surveying, Federal University of Technology, Minna ²Department of Quantity Surveying, Niger State Polytechnic, Zungeru ³Department of Quantity Surveying, University of Ilorin, Kwara State

Building construction projects in Nigeria are characterized by contractual claims, which remain a challenge in terms of time and cost performance, thereby triggering the need for effective construction claims management in the construction industry. The study is aimed at assessing the impact of contractual claims on the performance of public building projects with the view to establishing strategies for effective management of contractual claims in public building construction projects. A pro forma was used to collect archival data on the impact of contractual claims while a self-administered structured questionnaire was used to gather information on the strategies for managing contractual claims. A total of 122 respondents were considered and the questionnaire was self-administered, of which 105 were retrieved. The data was analysed using paired sample t-test, mean item score, correlation and exploratory factor analysis. The results showed that contractual claims have significant impact on cost and time performance of construction projects with a cost overrun of 16.8% and time overrun ranging between 31% - 866% with p-value of 0.037. The study concluded that improved projects performance can only be achieved if contractual claims are eliminated. It is therefore recommended that stakeholders should improve on contractual procedures in order to eliminate avoidable omissions or changes during construction through effective communication and application of new technologies.

Keyword: Contractual claims, Projects performance, Public buildings.

Introduction

Construction industry is the sector of the Nigerian economy that engages preparations of lands, construction of buildings and civil engineering works (Olufemi, 2013). The industry is considered as the backbone of every other sector as it accounts for about 15% of the national product of most developing countries and offers the motivating force essential for supporting financial buoyancy (Alintah-Abel & Nnadi, 2015). The industry adds an average of 5% to the annual Gross Domestic Product (GDP) and an average of about 1/3 (one-third) of the overall fixed capital investment; (Omole, 2000). Construction activities dictate the route of an economy and the industry is described as a leading economic sector (Alintah-Abel & Nnadi, 2015). There by calling for proper utilization and management of the industry.

Construction projects are set of tasks embarked upon to produce a facility, within a well-defined scope, quality, schedules and estimates. However, in some projects, claims are encountered which may be in form of variation, delay in completion time, fluctuation or poor workmanship upon completion (Yadeta, 2014). Claims are hardly evitable in building projects and may arise before or after the contracts are signed (Ibbs et al., 2001). Construction claims are considered as the source of disruptions and unpleasing events by project participants in the construction industry (Ho and Liu Contractual Claims clarifications of all that makes up a construction contract, from the scope, to what constitutes disruptions and allowable delays. Construction project is considered to be successful and achieve its objectives when it is completed within schedule, estimated cost and quality as predicted at the planning stage (Odediran & Windapo, 2014).

Contractual claim is a common problem in building and civil engineering construction projects (Yadeta, 2014). Contractual claim on construction project has negative effects on projects such as delay, dissatisfaction and disputes that often lead to acrimonious relationship amongst stakeholders with attendant overruns both in cost and time of construction of projects. These negative attributes have brought about poor performance of projects, loss of client confidence in consultants, added investment risks, inability to deliver value to clients, and disinvestment in the construction industry (Eshofonie, 2008). Several studies had been conducted on the causes of claims. of variation impacts management processes. However, there exists a gap on strategies for managing contractual claims in the building industry. Thus, this paper is aimed at assessing the impact of contractual claims on the performance of public building projects, with a view to formulating strategies for effective management of contractual claims.

Literature Review Claims in Building Construction Contract

Claims on construction projects involve the stakeholders and are of key importance to make arrangement for uncertainties that may affect the performance of construction projects. Each project has uncertainties linked with it; the degree of the particular risk will manifest itself on a given time in the project (Shapiro, 2007). Construction stakeholders are fully aware that claims cannot be avoided or resolved easily, claims come as a result of risk not well managed in construction project but when these risks are identified early and managed by appropriate methods, they will at least be controlled within some allowable range to avoid contractual claims (Nguyen, 2014). The most common type of contractual claims arises from express terms of a contract (Simon et al., 2007). Contractual claim may arise from any or all of the following: variation, fluctuation, loss and expense as well as extension of time (Simon et al., 2007). Nothing is more constant than contractual claim during the course of a construction project, despite the best efforts of all participants during the planning, implementation and administration of the contract, claims will almost certainly occur and can be damaging to any project, if not considered collectively by stakeholders involved in the construction projects (Arain & Pheng, 2005). Sunday (2010) asserted that the complexity of the construction industry due to different stakeholders involved makes it differ from other industries. This complexity gives rise mostly unwanted situation like to contractual claims with their attached effects, and the more the claims on a project. the greater the likelihood that they become time consuming and costly in construction projects (Mohamed, 2001). In building construction projects, claims may be initiated either by the contractor or the client, which are entitled to payment for work including any loss incurred by either party at the course of carrying out the project and may also be entitled to claim for additional time and or money (Murdoch & Hughes, 2008). Contractors' claims may be described as requests for the reimbursement for additional costs resulting from certain employer or employer's agent's acts, which delay or disrupt the contractors progress, and which otherwise would not be recoverable under the contract (Cunningham, 2014). Though typical are construction projects not contractual but complex and lengthy in nature, given these variables, emanating issues give rise to disputes amongst parties 2013). When commencing (Oio, construction, contractors justifiably expect that all necessary project documents are not only correct but in place, adequate and received timely (Bryan, 2005), but in real sense, they are not actually so. Hence, Glover (2007) opined that due to the characteristics of construction project and environment, disruptions do occur; which warrant contractors to request reimbursements.

Construction Project Performance

The goal of any project is greatly influenced by success rate of performance. It is seen as "the degree of attaining undertakings" (Project Management Institute, 2004). It relates with approved bounds objectives which form the projects bound (Chitkara, 2005). From the project management perspective, it is about satisfying the requirements of the clients and the prospects of a project. Yates and Eskander (2002) viewed a successful work as the work being completed without delay, within estimate, scope and quality. Thomas et al. (2002), Naoum, et al. (2004), Josephson and Lindstrom (2007) identified several means for measuring project performance, many of which were directed towards cost, time and quality. Ling (2004) asserted that the performance of a construction work is multi-tasking which may include cost per unit, speed in construction and delivery and satisfying client need.

Claim management and project performance

The success of managing construction project cannot be economically attained forcefully but requires the creation of environments that will inspire selfmotivation and brings in teamwork spirit that is significant to effective project execution. According to Keane (1994), claims management is a process of employing and organising available resources to advance a claim from documentation and analysis through preparation and presentation, to negotiation and settlement. However, Bramble and Callahan (1992) posited that the essence of claims management is to guarantee that the project owner pays a fair price for meddling in the contractual process of executing construction work. This assertion underscores the submission of Harris and Scott (2001) who argued that the conditions leading to the occurrence of claims on construction projects cannot be totally eliminated on many of the contracts; however, strategies to minimise their effects should be more readily recognised by the stakeholders in the construction industry.

Although Harris and Scott (2001) stated that the occurrence of claims will continue on construction projects unceasingly because of the inability of the project designer's to provisions for unforeseen circumstance that may likely occur and influence the performance projects. This indicates that variations or likely changes to construction contracts are almost inevitable as work progresses (Oyewobi et al., 2016). This will invariably lead to increase in cost of construction works, thus the need for adjustment in payment to contractor which often forms the basis of claim occurrence on construction projects. Nonetheless, in claims, Levin (1998)managing homogenised the process of management and listed among others: the need to identify and recognise the causes of claims; systematic and accurate documentation; analysis of time and cost impacts. The focus of this paper is on the analysis of the impacts of claims on time and cost performance of construction projects; and through literature review, it has been established that claims exhibit impact on cost and time performance of construction projects. However, the magnitude of the impact is yet to be ascertained. Although previous studies such as Sharafadeen et al. (2015) and Obiegbu (2012) reported that the impacts of claims on construction project performance can be minimised through adequate and proper communication among parties involved in the contract, good contract management, good owner financing capacity for the payment of completed works, and design modifications during construction.

Research Methodology

The study focused on government owned public buildings executed in Abuja within the last ten years and whose records are available for study. Abuja houses several parastatals and agencies, with Federal Capital Development Authority (FCDA) central to the development of public buildings. The public buildings considered were those executed by the Public Building Department of FCDA. A total of 120 building projects were identified, a pro forma was used for collecting the archival data while a purposive sampling was used in

selecting 44 building projects that their claims were ascertained and agreed. The strategies for managing contractual claims were identified through extensive review of literature which was later developed into questionnaire that was self-administered to 122 respondents identified to have supervised or executed construction works under FCDA which included clients, consultants and contractors. The developed structured questionnaire consisted of two parts; part one contained demographic questions; part two was on contractual management strategies. claims questionnaire was rated on a five-point Likert type scale ranging from strongly disagree (1) to strongly agree (5). The data was analysed using Mean Item Score, spearman's correlation, Paired sample t-test and explorative factor analysis. Out of the 122 questionnaires administered, 105 (86%) were returned and fit for analysis. Mean Item Score was used to rank the identified contractual for strategies management, spearman's correlation showed the degree of agreement among the clients, consultants and contractors groups in terms of their views to the study factors, Paired sample t-test was used to test the significance difference between the final and initial cost – time and explorative factor analysis was carried out to explore the

overall data and determine the factors and clusters of factors measured by the questionnaire. The questionnaire was tested for reliability using Cronbach coefficient alpha (α). The test results indicated the Cronbach coefficient alpha value for the strategies for managing contractual claims was 0.948. This exceeds the cut-off of 0.70 (Zikmund, 2009; Ogwueleka, 2011) indicating that the variable constructs were highly reliable and free from random errors.

Data Analysis and Discussion

Table 1 presents the demographic data of the respondents. 56% were members of the Nigerian institute of quantity surveyors, while 44% were probationer members of the Nigerian institute of quantity surveyors. And the respondent's background presents the following results; project Q/S 24%, Project managers 33%, Construction managers 10% and Supervisors 33%. While working experience of respondents presents 32% of respondents had less than 5 years' experience, 44% had 5-10 years' experience and 24% had 10 years' experience and above. This shows that the respondents involved in the study had requisite knowledge that was adjudged to be good enough for this study considering the years of experience and professional status.

Table 1: General Demographic Characteristic of Respondent

Characteristic	Frequency	Percentage (%)	
Professional Qualification			
Fellow	0	0	
Member	59	56	
Probationer	46	44	
Background			
Project Q/S	25	24	
Project Manager	35	33	
Construction Manager	10	10	
Supervisors	35	33	
Experience			
Less than 3 years	34	32	
5-10 years	46	44	
10 years and above	25	24	

Source: Researchers Analysis (2017)

Cost Performance on Public Building

Table 2 presents the result of a paired sample t-test conducted to measure the significant difference in the final cost and initial estimate of the public buildings. The output gave an average mean of 157,856,936.00 with t-value at 2.754 and p-value at 0.03 at 95% confidence level. The p-value shows that there is significant difference between the final construction cost and initial estimate. This means that a large proportion of the variance of the final cost is predictable from the knowledge of the initial estimate.

Further analysis in Table 3 shows that all the 44 completed building projects experienced cost overrun ranging between 14% - 22%. On the average, all the projects experienced cost deviation of 16.68%. the findings from the study is in consonance with the study reported by Omoregie and Radford (2006), which established a cost increase of 14% of the studied projects. A similar finding was reported by Memon *et al.* (2012) on construction projects in Malaysia which also experienced cost overrun in the range of 5-10%. The results reported in this paper shows that cost overrun is not only peculiar to the Nigerian construction industry but a

global issue and this is corroborated by Flyvbjerg (2002) who conducted a global research on construction projects and concluded that 9 out of 10 projects had cost overrun of 50% - 100%. However, the National Institute of Building Science (2013) established that a deviation in cost acceptable to be in the range of 2-3% on construction project. This implies that more efforts are required in managing construction projects with a view to minimizing cost overruns on public projects.

Time Performance on Public Building

Table 4 present the result of a paired sample t-test conducted to measure the significant difference in the final time and initial time of the public buildings. The output gave an average mean of 42.86 with t-value at 2.67 and p-value at 0.03 at 95% confidence level. The p-value shows that there is significant difference between the final construction time and initial estimated time. This means that a large proportion of the variance of the final cost is predictable from the knowledge of the initial estimate.

Table2: Paired Sample T-Test for Cost of Claims on Public Buildings.

Pa	ired S	amples T	est							
			Paired	Differenc	es		· · · · · · · · · · · · · · · · · · ·	•		
			Avera ge	Std. Devia	Std. Error	95% Confid Interva Differe	al of the	t	df	Sig. (2-tailed)
		Mean	Mean	tion	Mean	Lowe r	Upper			
P ai r	fin al cos t Ini tial cos	11057 19056 -: 94786 2120	15785 6935	15165 7016	573209 64.36	1759 7588	29811 6283	2.75	6	0.033

Table 3 Project Cost

S/N	Ref.	Project Title	Initial Contract Sum	Final Contract Sum	% Increase
1	4	Model Office complex	55,632,336.23	64,416,389.32	16%
2	5	Advanced E- Learning Centre	1,303,301,846.21	1,509,086.348.24	16%
3	6	library complex + offices	2,610,811,446.81	3,023,044,833.15	16%
4	8	female hostel	320,000,000.00	365,000,000.00	14%
5	10	Wasa Resettlement FCT. Lot D69 and A9.	64,152,441.15	77,953,075.36	22%
6	11	Residence of the speaker house of representative	924,701,193.16	1,064,014,331.47	15%
7	12 to 49	Mass Housing Resettlement projects FCT. (prototype)	1,356,435,579.14	1,636,518,417.10	21%

Table4: Paired Sample T-Test for Time of Claims on Public Buildings.

Paire	ed Samp	les Test								
			Paired Di	fferences			onfidence of the			
		Mean	Averag e Mean	Std. Deviatio n	Std. Error Mean	Lower	Upper	_t	D f	Sig
Pai r 1	Final time	71.714	42.8571 4	42.4438 0	16.0422 5	3.6031 7	82.1111 1	2.67 2	6	.03 7
	Initi al time	28.857 1								

(2-tailed

Further analysis in Table 5 shows that all the 44 completed building projects experienced time overrun ranging between 30% - 86%. This result was in line with the findings of Aghimiem and Awodele (2017), who posited that projects in Nigeria may experience time overrun between 17% and 86%. These results underscored the findings reported by Odeyinka and Yusif in 1997 (21)

years ago) which argued that 58% time overrun was observed on construction projects studied in Nigeria. Also, Omoregie and Radford (2006) established that time performance in the construction industry is very challenging due to projects not being completed as scheduled which makes time overrun to continue unabated.

Table 5: Project Time

S/ N	Re f.	Project Tittle	Project Durati on	Commencem ent. Date	Completi on Date	% Completi on	Extensi on of Time	% of Dela y
1	4	Model Office complex Advanced	month s	May. 2011	May. 2013	100	12 months	100 %
2	5	E- Learning Centre	3 years	Dec. 2010	Nov. 2014	100	11 months	30%
3	6	Library complex + offices	3.5 years	Feb. 2010	May. 2015	100	29 months	69%
4	8	Female hostel Wasa	52 weeks	May. 2015	Dec. 2016	100	28 weeks	53%
5	10	Resettleme nt FCT. Lot D69 and A9.	12 weeks	Jun. 2011	May, 2015	100	104 weeks	866 %
6	11	Residence of the Speaker house of representat ive	3 years	2010	2014	100	12 months	33%
7	12 to 49	Mass Housing Resett. projects FCT. (prototype)	12 weeks	2006 -2010	2008 – 2013	100	104 weeks	866 %

Strategies for Managing Contractual Claims

Table 6 presents the mean ranking of the contractual strategies for management, they are adequate use of professionals should be employed, ensure adequate and proper communication during construction, avoid design modification, ensure control during planning and implementation phase and ensure suitable procurement method ranked 1st, 2nd, 3rd, 4th and 5th respectively. These are in tune with the studies of Sharafadeen (2015) and Obiegbu (2012), who asserted that the identified factors can greatly influence project performance either positively or negatively depending on

implementation. Also, Maina (2012) pointed out that integrated contract procurement enhances better project performance in terms of risk control, cost and time overruns.

Comparing perceptions of professionals on the Strategies of contractual claims

The findings from Table 7 show the Spearman's rank correlation revealed a strong positive correlation among the different groups of respondents. This indicates that the respondents have the same view as regard the strategies for managing contractual claims.

Table 6 : Strategies for Managing Contractual Claims

Table 6 : Strategies for Ma	naging (Contrac	tual Cla	ims				
Strategies for managing	Client		consult	ant	Contra	ctor	Overal	
contractual claims	means	Rank	Mean	rank	Mean	rank	Mean	Rank
Adequate use of professionals should be employed	5	2	4.77	1	4.86	1	4.88	1
Ensure adequate and proper communication amongst party	4.86	5	4.74	2	4.66	3	4.75	2
Avoid design modification during construction	4.94	3	4.52	6	4.56	5	4.67	3
Ensure control during planning and implementation phase	4.71	9	4.71	3	4.6	4	4.67	4
Ensure suitable procurement method	5	1	4.45	8	4.53	6	4.66	5
Good contract management	4.71	8	4.57	5	4.66	2	4.65	6
Good client financial capability	4.71	7	4.48	7	4.46	10	4.55	7
Project document should be interpreted correctly	4.43	14	4.68	4	4.53	8	4.55	8
Establish quality control measures	4.77	6	4.37	10	4.46	9	4.53	9
Resources should be correctly determined and	4.29	15	4.4	9	4.53	7	4.41	10
allocated Built good team spirit	4.71	10	4.34	11	4	13	4.35	11
Enough materials should be provided	4.6	12	4.28	13	4.13	12	4.34	12
Functional site layout must be assessed and provided	4.43	13	4.31	12	4.2	11	4.31	13
Encourage self- motivation	4.71	11	3.84	15	3.6	15	4.05	14
Partial payment during construction should be avoided	4.89	4	3.88	14	3.86	14	4.21	15

Table 7: correlation test Comparing perceptions of professionals on the Strategies

Respondents	$Rho(P_{cal}) = 1 - \underline{\hspace{1cm}}$	$\frac{6x(\sum di^2)}{N \times (N^2 - 1)}$	Relatiouship
Client versus Consultant	0.980		Strong
Consultant versus	0.995		Strong
Contractor Client versus Contractor	0.972		Strong

Factor analysis reporting the three cluster strategies of contractual claims on Table 8

Kaiser-Meyer-Olkin Measure of sampling adequacy (KMO) was tested with the data for the strategies for managing contractual claims, returning a value of sampling adequacy 0. 855. This is considered sufficient to conduct a factor analysis as any value above 0.6 (the cutoff point) is considered acceptable (Eiselen et al., 2007). The p-value of Bartlett's test of sphericity (represented by "Sig"), indicates a measure of the multivariate normality of the set of distributions. According to George and Mallery (2003), a significant value < 0.05indicates that the data does not produce an identity matrix and are thus acceptable for factor analysis. This set of data returned a significance value of 0.000, indicating that the data was acceptable for factor analysis.

Effective Coordination: Ten items were loaded onto this factor, as presented in Table 8, with a variance of 35.015%. The strategies identified agreed with the studies of Sharafadeen et al. (2015), Jimoh (2012) and Yng et al. (2002) who stated that the above findings will help in managing In related contractual claims. a development, Maina (2012) emphasised that integrated contract procurement enhances better project performance in

terms of risk control, cost and time escalations.

Effective Communication: Three items were loaded onto this factor, as presented in Table 8, with a variance of 22.966%. This agreed with the study of Obiegbu (2012), Yng *et al.* (2002) and Sharafadeen *et al.* (2015) that postulated that the above strategies will help curtail claims and promote project performance.

Effective Resource Utilization: Two items were loaded onto this factor, with a variance of 20.929%. The study of Obiegbu (2012) was in line with the submission.

Table 9 present average factor loading for the strategies of managing contractual claims, the grouped strategies should be collectively assessed for better public project performance. The strategies are ranked in their order of importance, it shows that effective communication cluster with average factor loading of 4.60 is very crucial to the attainment of the study goal as such due consideration should be given to it. Effective coordination and utilization of resources clusters with average factor loadings of 4.50 and 4.30 respectively should not be over looked as collective implementation of the strategies will yield an effective time and cost performance in public building projects.

TABLE 8: Strategies Cluster for contractual claims management.

Cluster Factor Groupings Factor	Factor	Eingen	% of	Mean	Communalities
	Loadings	Values	Variance		extraction
Effective Coordination		9.4	35.015		
Adequate use of professionals should be employed	0.724			4.88	0.817
Avoid design modification during construction	0.778			4.67	0.712
Ensure suitable procurement method	0.784			4.66	0.91
Good contract management	0.582			4.65	0.781
Good client financial capability	0.597			4.55	0.758
Establish quality control measures	0.645			4.53	0.808
Built good team spirit	0.602			4.35	0.826
Enough materials should be provided	0.531			4.34	0.575
Partial payment during construction should be avoided	0.849.			4.21	0.862
Encourage self- motivation	0.739			4.05	0.584
Effective Communication		1.327	22.966		

Ensure adequate and proper communication amongst party	0.743			4.75	0.885
Ensure control during planning and implementation phase	0.861			4.67	0.881
Project document should be interpreted correctly	0.785			4.55	0.752
Effective Resource Utilization		1.1	20.929		
Resources should be correctly determined and allocated	0.902			4.41	0.803
Functional site layout must be assessed and provided	0.67			4.31	0.883
		78.91%			

Table 9: Average Factor Loading	Table 9:	Average	Factor	Loading
---------------------------------	----------	---------	--------	---------

able 7. Average I actor Bounding		
Strategies (Clusters)	Average Factor Loading	Rank
Effective Communication	4.60	1
Effective Coordination	4.50	2
Effective Utilization of Resources	4.30	3

Conclusion and Recommendations

The study assessed the impact of contractual claims on the performance of public building projects with the view to evolving strategies for effective management of contractual claims in public building construction projects. The study concluded that contractual claims impact public projects in terms of cost and time with cost increase performance. averaging 16.68% and time increase of 31% - 86%. The findings show that high level of professionalism is needed in handling construction projects in order to reduce occurrences of claims especially the avoidable claims. Based on the findings of the research, the study recommends that all parties to the project should ensure effective communication, coordination within the project, and effective utilization resources on public building projects.

References

Adeyinka H.A & Yusif A (1997). The causes and effects of construction delays on completion cost of housing projects in Nigeria. *Journal of financial Management Property and construction*, 2(3), 31-44.

Aghimien D. O & Awodele O.A (2017).

Variability of cost and Time Delivery of Educational Building in Nigeria:

International Journal of Built

Environment and Sustainability: IJBES, 4(3), 156-164.

Aibinu, A. A. & Jagboro, G. O. (2002). The Effects of Construction Delays on Project Delivery in Nigeria Construction Industry. *International Journal of Project Management*, 20, 593-599.

Akewusola, W.A.O (2007). Effect of economic trade cycle on final cost of construction projects in Nigeria. *The Journal of the Nigerian Institute of Quantity surveyors*, 55(2), 31-40.

Alintah-Abel, U & Nnadi E. O. E. (2015).

An Assessment of Foreign
Construction Firms Participation on
the Cost of Construction Works in
Nigeria. NIQS Proceedings Pp 2-13.

Bramble, B.B. & Callahan, M.T. (1992).

Construction Delay Claims, (2nd ed.).

New York: Wiley.Bryan, S. (2005).

Inherent Conflicts in the Construction

Industry and the Structure of

Contracts. Paper at The Fundamentals

of Construction Contracts:

Understanding the Issues conference,

Vancouver, BC. February 10, pg.1-23.

Cheung, S. O, Suen, H. C.H. & Cheung, K. K.W. (2004). PPMS: A Web-based construction Project Performance Monitoring System. *Automation in Construction*, 13, 361 – 376.

Chitkara, W. (2005). On the Development of Project Management Research: Schools of Thought and Critique.

- International Project Management Journal, 8, 20-31.
- Cohen, J (1988). Statistical power analysis for the behavioural science. Hillsdale, NJ: Erlbaum.
- Cunningham, T (2014). Contractors' Claims for Loss and Expense under the Principle 'Traditional' Forms of Irish Building Contract, School of Surveying and Construction Management. Dublin Institute of Technology ARROW@DIT, 1-42.
- Eiselen, R, Uys, T. & Potgieter T (2007). Analysing survey data using SPSS13 (3rd Ed.) Johannesburg: STATKON, University of Johannesburg.
- Eshofonie, F. (2008). Factors Affecting Cost of Construction in Nigeria. Unpublished Master Thesis in Construction Management, University of Lagos, Lagos.
- Flyvbjerg, B., Holm, M. K. S. & Buhl, S. L. (2002). Cost underestimation in public works projects: error or lie? *Journal of the American Planning Association*, 68(3)
- George, D., & Mallery, P. (2003). SPSS for Windows step by step: A simple guide and reference.11.0 update (4th Ed.). Boston: Allyn & Bacon.
- Glover, J. (2007). Fidic: An Overview the Latest Developments, Comparisons, Claims And Force Majeure.www.fenwickelliott.com accessed 27/06/2017.
- Harris, R. A. & Scott, S. (2001). UK practice in dealing with claims for delay. Engineering, Construction and Architectural Management, 5/6, 317-324.
- Ho, S.P & Liu, L. Y (2004). Analytical model for analyzing construction claims and Opportunistic Bidding. *Journal of Construction Engineering and Management*, 130(1), 94-104.
- Ibbs, C. W., Wong, C. K. & Kwak, Y. H. (2001). Project change management system, *Journal of Management in Engineering*, ASCE, 17(3), 159-165.
- Jimoh, R. A. (2012). Improving Site Management Practices in the Construction Industry: The Builders' Perspective. *The Ethiopian Journal of*

- Environmental Studies & Management, 5 (4), 366-372.
- Josephson, P. E. & Lindstrom, J. (2007).

 Measuring performance in construction projects. In R. Milford and T.O. Haupt (eds). Construction for Development: Proceedings of CIB 2007 World Building Congress, Cape Town, South Africa, 14–18 May, 383–394
- Keane, P.J. (1994) A computer-aided systematic approach to time delay analysis for extension of time claims on construction projects. PhD Thesis, Loughborough University of Technology, Loughborough
- Levin, P. (1998). Construction Contract Claims, Changes & Dispute Resolution, (2nd ed.). New York: ASCE Press.
- Ling, F.Y.Y., Chan, S.L., Chong, E& El, P. (2004) _Predicting performance of design-build And design-bid-build projects', Journal of Construction Engineering and Management, 130(1), 10-20.
- Maina, A. G. M (2012). The Impact of the Type of Construction Contract on Project Time and Cost Performance in Kenya: A Case Study of Traditional and Integrated Contracts.
- Memon, A. H, Rahman, I. A, Abdullah, M. R & Aziz, A. A. A. (2011). Time Overrun in Construction Projects from the Perspective of Project Management Consultant (PMC) Journal of Surveying, Construction & Property, 2,
- Murdoch, J. R. & Hughes, W. (2008). Construction Contracts: Law and Management, (4th Ed.) Oxford: Taylor and Francis.
- Naoum, S., Fong, D. & Walker, G. (2004).

 Critical success factors in project management', in proceedings of International Symposium on Globalization and Construction, Thailand, 17-19September.
- Nguyen, L. D & Ibbs, W. (2010). Case Law and Variations in Cumulative Impact Productivity Claims. *Journal of Construction Engineering and Management*, 136(8), 826–833.

- Obiegbu, M. E. (2005). Overview of Total Performance Concept of Buildings: Focusing on Quality, Safety, and Durability. Proceedings at the 34th Annual Conference of the Nigerian Institute of Building, held in Abeokuta. April 27-28. Pp 2-10.
- Odediran S.J & Windapo A.O (2014). A systematic review of factors influencing the cost performance of building projects. CIDB paper Revised (1) pp 1-16.
- Ogunsemi, D.R (2015). Value for money in construction projects: The Quantity Surveyors Quest, 71st Inaugural lecture series delivered by Prof. D. R Ogunsemi. Akure: Federal University of Technology.
- Ogwueleka, A. (2011). The Critical Success Factors Influencing Project Performance in Nigeria. *International* Journal of Management Science and Engineering Management, 6(5), 313-349.
- Ojo, A. E. (2013). Comparative Review of Construction Contract Variation Claims Administration Under Fidic and Standard Forms of Building Contract of Nigeria. *Innovative and* Sustainable Management of Building and Infrastructure Projects.
- Olufemi, A.O (2013). Construction Project Financing for Sustainable Development of Nigerian Cities; FIG Working Week 2013 Environment for Sustainability Abuja, Nigeria, 6 10 May.
- Omole, A.O (2000). Surveying Input to Engineering Projects: The Need for Professionalism. *The Quantity* Surveyor, 30, 10-18.
- Oyewobi, L. O., Jimoh, R. A, Ganiyu, B.O, & Shittu, A.A, (2016). Analysis of causes and impact of variation order on educational building projects. *Journal of Facilities Management*, 14(2), 139-164, https://doi.org/10.1108/JFM-01-2015-0001
- Omoregie A & Radford D (2006). Infrastructure delays and cost

- escalation: causes and effects in Nigeria. Proceedings of sixth international postgraduate research conference, Delft University of Technology and TNO, 79-93.
- Project Management Institute (2008). A guide to the project management body of knowledge (PMBOK Guide) (3rd Ed.). Newtown Square: PA, Author. Reg T (2001) Construction contract claim. Pg 10-14.
- Sharafadeen, O., Babatunde, O. & Ajetomobi, O. O (2015). Delay of Building Construction Projects in Nigeria-A Review of Causes, Effects and Solutions. International Journal of Engineering Sciences & Management Research, www.ijesmr.com
- Shapiro, B.S (2007). Construction claims and contracting strategy. *CLE BC's construction Law*. 1-10.
- Simon B, Ramus J.W & Phil, G. (2007). Contract practice for surveyors (4th Ed.). UK: Butterworth-Heinemann
- Thomas, S. N, Palaneeswaran, E, & Kumaraswamy, M. M (2002). A dynamic e-reporting system for contractor's performance appraisal. *Journal of Advances in Engineering Software*, 33(6), 339–349.
- Yadeta, A. E. (2014) Assessing the impact of variation orders on public building projects in Addis
- Yates, J & Eskander, A (2002).

 Construction Total Project
 Management Planning Issues.

 International Journal of Project
 Management, 33, 37-48.
- Yng, F.L.Y, Lean C.S, Wai E.C.C, Ping E.L & Min L (2002). Performance evaluation of alternative project procurement methods. *Project Report*, National University of Singapore.
- Zikmund, W. G., Babin, B. J., Carr, J. C., & Griffin, M. (2009). *Business Research Methods* (8th Ed.). New York: South-Western Cengage Learning.